





---

---

---



--	--




---

---

MedDRA	(N=115)	(N=58)
	(%)	(%)

---

---

370 CKD

CTCAE

**3.HS-20039-302**

**1% CTCAE 3**

---

MedDRA

---

---

---

---

MedDRA

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

1

2

---



	CKD		0.08 mg/kg		6 mg
4					
		EPO			BFU-E
CFU-E					
	CKD	Hb		Hb	
	28				
<hr/>					
		HS-EPOP1			
	T <sub>max</sub>	25~32.5	h		0.025~0.08
mg/kg					
<hr/>					
	CKD				
	CKD			HS-EPOP2b	
	0.025 mg/kg	0.05 mg/kg	0.08 mg/kg	T <sub>max</sub>	42.0~48.0
h	C <sub>max</sub>	49.6 ng/ml	127 ng/ml	175 ng/ml	
	0.025~0.08 mg/kg			C <sub>max</sub>	AUC <sub>0-t</sub>
				AUC <sub>0-</sub>	
4					
<hr/>					
	CKD				
	CKD			HS-EPOP2a	
	0.025 mg/kg	0.05 mg/kg	0.08 mg/kg	T <sub>max</sub>	47.9~72.0
h	C <sub>max</sub>	53.3 ng/ml	119 ng/ml	221 ng/ml	
	0.025~0.08 mg/kg			C <sub>max</sub>	AUC <sub>0-t</sub>
				AUC <sub>0-</sub>	

V<sub>z</sub>/F

17.4 L

		57.9%	21.7 %	
0.025~0.08 mg/kg				t <sub>1/2</sub>
59.1~73.9 h	CKD	t <sub>1/2</sub>	58.3~69.7 h	CKD
	t <sub>1/2</sub>	61.6~74.9 h		
		0.0918 L/h		
		65		
20~70				

---

---

---

HS-20039-302

				BMI	
	CKD			Hb	
				Hb	11.11 g/dL
		17~24	Hb		-4 -2 0
				FAS	
Hb	0.076 g/dL	-0.224 g/dL			-
	0.297±0.090 g/dL	95% CI	0.119~0.475	P=0.0011	PPS
		Hb		0.069 g/dL	-0.223 g/dL
		-		0.288±0.092 g/dL	95% CI 0.107~0.468
P=0.0018	95% CI			-1.0g/dL	

---

---

---

---

---

---

±

±



